

[Search Session History](#)[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Tue, 1 Jan 2008, 5:35:10 PM EST

Edit an existing query or
compose a new query in the
Search Query Display.

Search Query Display

Select a search number (#)
to:

- Add a query to the Search Query Display
- Combine search queries using AND, OR, or NOT
- Delete a search
- Run a search

Recent Search Queries

- | | |
|-----|---|
| #1 | (((transfer* <near/10> data* and (peak*) <near/10> (histor* previous*))<in>metadata)) <and> (pyr >= 1950 <and> pyr <= 2001) |
| #2 | (((previous* histor*) <near/10> (utiliz* bandwidth* throughput*) <near/10> threshold*)<in>metadata) |
| #3 | (((previous* histor*) <near/10> (utiliz* bandwidth* throughput*) <near/10> threshold*)<in>metadata) |
| #4 | (((previous* histor*) <near/10> (utiliz* bandwidth* throughput*) <near/10> threshold*)<in>metadata) |
| #5 | (((previous* histor*) <near/10> (utiliz* bandwidth* throughput*) <near/10> threshold*)<in>metadata) |
| #6 | ((peak* <near/10> (previous* histor*) <near/10> (bandwidth* throughput* utilization))<in>metadata) |
| #7 | (((previous* histor*) <near/10> (throughput* utiliz* bandwidth*))<in>metadata) |
| #8 | (((previous* histor*) <near/10> (throughput* utiliz* bandwidth*))<in>metadata) |
| #9 | (((previous* histor*) <paragraph> (throughput* utiliz* bandwidth*))<in>metadata) |
| #10 | (((previous* histor*) <paragraph> (throughput* utiliz* bandwidth*))<in>metadata) |

Indexed by
 Inspec[®]

[Help](#) [Contact Us](#) [Privacy &](#)

© Copyright 2007 IEEE -

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S200	83	determin\$4 near10 (max maximum) near10 (previous\$4 histor\$4) and "709".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/01 16:16
S201	28	determin\$4 near10 (max maximum) near10 (previous\$4 histor\$4) and "709".clas. and @ad<"20000216"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/01 16:17
S202	15	determin\$4 near10 (max maximum) near10 (throughput bandwidth\$4) near10 (previous\$4 histor\$6) and @ad<"20000216"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/01 16:30
S203	17	determin\$4 near10 (max maximum peak\$1) near10 (throughput bandwidth\$4) near10 (previous\$4 histor\$6) and @ad<"20000216"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/01 16:44
S204	3	threshold\$4 near10 (max maximum peak\$1) near10 (throughput bandwidth\$4) near10 (previous\$4 histor\$6) and @ad<"20000216"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/01 17:02
S205	12	threshold\$4 same (max maximum peak\$1) near10 (throughput bandwidth\$4) near10 (previous\$4 histor\$6) and @ad<"20000216"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/01 17:03
S206	9	threshold\$4 same (max maximum peak\$1) near10 (throughput bandwidth\$4) near10 (previous\$4 histor\$6) and @ad<"20000216" not S204	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/01 17:06
S207	6	(max maximum peak\$1) near10 (throughput bandwidth\$4) near10 (previous\$4 histor\$6) and @ad<"20000216" and "709".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/01 17:09
S208	111	(max maximum peak\$1) near10 (throughput bandwidth\$4) near10 (previous\$4 histor\$6) and @ad<"20000216"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/01 17:07

EAST Search History

S209	10	(max maximum peak\$1) near10 (throughput bandwidth\$4 utiliz\$8) near10 (previous\$4 histor\$6) and @ad<"20000216" and "709".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/01 17:09
S210	4	(max maximum peak\$1) near10 (throughput bandwidth\$4 utiliz\$8) near10 (previous\$4 histor\$6) and @ad<"20000216" and "709".clas. not S207	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/01 17:12
S211	25	threshold\$4 same (throughput\$1 bandwidth\$4 utiliz\$8) near10 (previous\$4 histor\$6) and @ad<"20000216" and "709".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/01 17:37
S212	7	background\$4 near10 transfer\$4 same (throughput\$1 bandwidth\$4 utiliz\$8) near10 (previous\$4 histor\$6) and @ad<"20000216"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/01 17:39
S213	6	background\$4 near10 transfer\$4 and (throughput\$1 bandwidth\$4 utiliz\$8) near10 (previous\$4 histor\$6) and @ad<"20000216" and "709".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/01 17:44
S214	0	measur\$4 near10 peak\$4 near10 (throughput\$1 bandwidth\$4 utiliz\$8) near10 (previous\$4 histor\$6) and @ad<"20000216" and "709".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/01 17:44
S215	5	measur\$4 near10 peak\$4 near10 (throughput\$1 bandwidth\$4 utiliz\$8) near10 (previous\$4 histor\$6) and @ad<"20000216"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/01 17:45
S216	9	measur\$4 same peak\$4 near10 (throughput\$1 bandwidth\$4 utiliz\$8) near10 (previous\$4 histor\$6) and @ad<"20000216" not S215	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/01 17:46
S217	72	determin\$4 same (max maximum peak\$4) near10 (throughput\$1 bandwidth\$4 utiliz\$8) near10 (previous\$4 histor\$6) and @ad<"20000216" not S215	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/01 17:46
S218	1	determin\$4 same (max maximum peak\$4) near10 (throughput\$1 bandwidth\$4 utiliz\$8) near10 (previous\$4 histor\$6) and @ad<"20000216" and "709".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/01 17:51

EAST Search History

S21 9	191	determin\$4 same (max maximum peak\$4) near10 (throughput\$1 bandwidth\$4 utiliz\$8) and @ad<"20000216" and "709".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/01 18:01
S22 0	12898	monitor\$4 same (max maximum peak\$4) near10 (throughput\$1 bandwidth\$4 utiliz\$8) link\$4 and @ad<"20000216" and "709".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/01 18:01
S22 1	23	monitor\$4 same (max maximum peak\$4) near10 (throughput\$1 bandwidth\$4 utiliz\$8) near10 link\$4 and @ad<"20000216"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/01 18:02